

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www..delaware.gov/Pages/Lists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to Stacy.Jones@state.de.us

Published by Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

SECRETARY'S ORDERS

Secretary's Order No. 2015-WH-0016

RE: Cease and Desist Order Issued Pursuant to 7 Del. C. § 6018 to Heritage-Crystal Clean, LLC, 505 South Market Street, Wilmington, DE.

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING -

The Committee will hold a meeting on **May 6** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burriss at (302) 739-9945; or visit: <http://egov.delaware.gov/pmc/Event/Details/25727>

Water Well Licensing Board Meeting – The review and approval of new driller/pump installer licenses will take place on **May 12** from 9:30am to 11:30am at 89 Kings Highway, Richardson and Robbins Building, Dover, DE, 19901 in Kent County. For additional information contact Jackie Young at 302-739-9944; or visit:

<https://egov.delaware.gov/pmc/Event/Details/27442>

BOILER SAFETY COUNCIL MEETING - The council will hold a meeting on **May 20** from 10 am to 12 pm at the Blue Hen Corporate Center Conference Room, 655 S. Bay Rd., Dover, DE, 19901. For additional information, please contact Joanne Cobb 302- 395-2500; or visit:

<https://egov.delaware.gov/pmc/Event/Details/27337>

PUBLIC WORKSHOP ON UPDATES TO THE REGULATIONS GOVERNING THE

CONSTRUCTION AND USE OF WELLS- Our fourth and final public workshop will be held at 6:00pm on **May 27**, in the Richard and Robbins Building auditorium located at 89 Kings Highway, Dover, Delaware 19901. This workshop will inform the public of the history of current Regulations Governing Well Construction and Use of Wells and changes to the Regulations. Additional information may be obtained by contacting the Water Supply Section at (302) 739-9944; or visit:

<https://egov.delaware.gov/pmc/Event/Details/27266>

ON-SITE SYSTEMS ADVISORY BOARD (OSSAB) REPRESENTATIVE INTEREST - The

Ground Water Discharges Section (GWDS) is soliciting those Class E System Contractors and Class F Liquid Waste Haulers interested in applying for consideration to become a member of the On-Site Systems Advisory Board (OSSAB) representing your peers. If you would like to apply for the Class E System Contractor or the Class F Liquid Waste Hauler representative on the OSSAB, please submit a completed application and an updated resume by **May 31** to: Ground Water Discharge Section-OSSAB Licensing Coordinator, Dawn Dryden, 89 Kings Highway, Dover, DE 19901. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2684&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) will hold a public meeting on **June 4** from 9:30am-12:30pm at our Lewes field office located at 901 Pilottown Road, Lewes, DE 19958. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:

<https://egov.delaware.gov/pmc/Event/Details/27083>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Laura Bogus or Penny Gentry at (302) 739-9402.

NOTICE HAS BEEN GIVEN THAT THE DELAWARE SOLID WASTE AUTHORITY (DSWA) requests a construction permit to continue construction on the existing landfill gas management system for Cell F at their Central Solid Waste Management Center located at 1107 Willow Grove Rd. in Felton, Delaware. The air permit application proposes the continuation of the existing landfill gas management system for the expansion project to provide continuous landfill gas collection throughout the life of the landfill. Permit: APC-2015/0064-C A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **May 18**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2730&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT HANOVER FOODS CORPORATION HAVING A FACILITY AT ROUTE SIX AND DUCK CREEK ROAD, CLAYTON, has submitted a request for significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-001/00024 (Renewal 3). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “Draft/Proposed” significant permit modification has been prepared. This “Draft/Proposed” significant permit modification allows the Company to switch the secondary fuel for the two primarily natural gas-fired boilers from No. 6 fuel oil to No. 2 fuel oil; and adds a new flour silo and corn dryer as insignificant activities. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **May 30**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2727&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTICE IS HEREBY GIVEN THAT DUPONT TITANIUM TECHNOLOGIES HAVING A FACILITY AT 104 HAY ROAD, EDGEMOOR, has submitted a request for permit

renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00010. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit renewal has been prepared. This “draft/proposed” permit renewal renews the facility’s operating permit and changes the name of the facility from DuPont Titanium Technologies to Chemours. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing by **June 2**.

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2731&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION – The Division’s Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER ABLER MACHINE SITE (DE-1576) The Department invites public comment on a proposal to clean up the Former Able Machine Site located at 21-23 Brookside Drive in New Castle County. The 0.28-acre Site consists of two interconnected industrial buildings. The Site soil contains metal and semi-volatile organic compounds while site groundwater contains metals and organic compounds above risk-based screening levels and therefore remedial action is required to prevent future user exposure. The comment period ends on **May 15**. For additional information, please contact Todd Keyser, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2704&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE HAMILTON PARK/PYLES LANE SITE (OPERABLE UNITS-11, 12, 13, and 14) (DE-1284) The Department has adopted a plan regarding the clean-up of Operable Units 11, 12, 13, and 14 of the Hamilton Park/Pyles Lane Site located in New Castle. The plan includes the removal of soil in the top two feet below ground surface in select areas. The Site is a residential neighborhood. Our agency issued a public notice of the Proposed Plan for Operable Units 11, 12, 13, and 14 of the Hamilton Park/Pyles Lane Site on April 1. There were no comments or questions from the public regarding the Proposed Plan. Details of the Final Plan are available at for review at 391 Lukens Drive, New Castle, DE, 19720. The public has until **May 18** to appeal the Final Plan. For additional information, please contact Lindsay Hall, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2721&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THE 427 WEST 7TH STREET- NEW CASTLE SITE (DE-1574) our agency is negotiating a VCP Agreement with Jaksn, LLC regarding the 427 West 7th Street – New Castle Site (Site), located at 427 W. 7th Street in New Castle. The 4.3 acre Site is identified on the maps of New Castle County as tax parcel number 21-014.00-400 and had a release of hazardous substances at the Site. This notice expires **May 19**. For additional information, please contact the project officer, Wendy March at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2729&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

THIRD AMENDED FINAL PLAN OF REMEDIAL ACTION FOR THE JACKSON PIT SITE (DE-0149) The Department has adopted a plan regarding the clean-up of the Jackson Pit Site located in Lewes. The plan includes the excavation of buried biodegradable debris from the Site, the excavation and removal of subsurface soil in one area of the Site, the recordation of an environmental covenant restricting site groundwater usage, and the creation and adherence to a plan providing guidance on the proper management of site groundwater should it be encountered during construction activities. Our agency issued public notice of the Third Amended Proposed Plan for the Jackson Pit Site on March 29. There were no comments or questions from the public regarding the Proposed Plan. The public has until **May 19** to appeal this Final Plan. For additional information, please contact Lindsay Hall, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2725&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site. Proposed and Final Plans of Remedial Action are available online at:

<http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements."

For site-specific information, please see DNREC's Environmental Navigator at

<http://www.nav.dnrec.delaware.gov/DEN3>

NOTIFICATION OF PUBLIC COMMENT FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 4001 NEW CASTLE AVENUE (AKA DIXON AUTO) SITE (DE-1455)

Site Investigation and Restoration Section (SIRS) negotiated a BDA with BLA, LLC regarding the 4001 New Castle Avenue Site. Identified by New Castle County as tax parcel number 10-005.40-437, the 0.60 acre Site may have had a release of hazardous substances as a result of past use as former gas station and automobile repair facility. The public comment period ends **May**

11. Please submit written comments to the SIRS Project Manager, Kristen Thornton, at SIRS, 391 Lukens Drive, New Castle, DE 19720. Additional information can be found at:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2720&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE CATHEDRAL OF SAINT JOHN CHURCH, WILMINGTON SITE (DE-1602)

Site Investigation and Restoration Section (SIRS) is negotiating a BDA with The Ministry of Caring, Inc. regarding the Cathedral of Saint John Church, Wilmington Site (Site). Identified on the tax maps of New Castle County as tax parcel numbers 26-022.30-269, 26-022.30-278 and 26-022.30-302, the 2.5 acre Site may have had a release of hazardous substances as a result of remnants of coal fired furnace use and the location of an abandoned underground storage tank. This notice expires **May 12**. For additional information contact Eileen Capitoli at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2719&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 2004 & 2008 SHIPLEY ROAD-WILMINGTON SITE, (DE-1603) the Site Investigation and Restoration Section (SIRS) is negotiating a BDA with Harbor Retirement Development, LLC regarding the 2004 & 2008 Shipley Road-Wilmington Site (Site). Identified on the tax maps of New Castle County as tax parcel numbers 06-078.00-404 and 06-078.00-459, the 8.41 acre Site may have had a release of hazardous substances as a result of past use from herbicides, pesticides and the location of underground storage tanks. This notice expires **May 12**. To learn more about this Site contact Meghan Crystall at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2718&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - Ground Water Discharges - On-Site Wastewater Treatment, Disposal System, and Underground Injection Control Permits - The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Kathleen Saunders, Ground Water Discharges, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9948.

On-Site Wastewater Treatment and Disposal System

Double R Holdings, LLC has applied for an innovative & alternative on-site wastewater treatment and disposal system permit. The system has been designed to accommodate 2,084 gallons per day generated by three doctors' offices. The site is located on Plantations Road in Lewes, DE, tax map # 3-34-12.00-53.03. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 11**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2723&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

D & I Dorman Properties, LLC has submitted an application for a construction permit for an on-site wastewater treatment and disposal system. The system has been designed to accommodate 525 gallons per day of wastewater. The site is located at the west side of Brickyard Road and approximately 400 feet east of US 13, Sussex County, tax parcel # 1-32-2.00-271.03. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 11**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2723&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Non-Hazardous Liquid Waste Transporters Permit

P.E. Kramme, Inc. has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-025 which allows for the transport of wastewater generated by washing edible food grade tank carriers utilizing USDA approved wash products to be disposed of at the New Castle County Sewer System, New Castle. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 18**. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2734&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - SURFACE WATER DISCHARGES – The Division of Water hereby gives notice that the following permit application has been received. For additional information or to inspect the

applications below contact, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946.

Wastewater Facilities Construction Permit Application

Wilkinson Development and Artesian Water Company to construct approximately 2,500 linear feet of 10" PVC force main, 2,400 linear feet of 8" PVC force main and one (1) submersible pump station with dual pumps, valves and related facilities, to serve the Woodridge residential subdivision and transmit waste flows from the subdivision to other regional force mains. The pump station will be located within the subdivision, which is located on the east side of Cool Spring Road (County Road 290), between Stockley Road (County Road 280) and Indian Mission Road (DE Route 5, County Road 22), Hollyville area, Indian River Hundred, Sussex County, Delaware. The force mains will be located within the Woodridge subdivision, on Arbor Circle and Deep Woods Road. A public hearing concerning the applications above will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **May 7**. For additional information contact Molly Mackil, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2714&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

New Castle County and Bolis Properties, to construct gravity sewer and approximately 3,630 linear feet of 4" PVC force main and one (1) submersible pump station with dual pumps, valves and related facilities, to serve the Colony at Summit Bridge West residential subdivision. The pump station will be located within the subdivision, which is located on the west side of Summit Bridge Road (DE Route 896, County Road 387), between Porter Road (County Road 400) and Howell School Road (County Road 54), Pencader Hundred, New Castle County, Delaware. The force main will be located within the subdivision, then south along Summit Bridge Road, east across open space lands of Thomas Harrison (Tax Parcel No. 11-037.00-002), to the Mansion Farm subdivision, Pencader Hundred, New Castle County. A public hearing concerning the applications above will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **May 7**. For additional information contact Molly Mackil, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2714&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

New Castle County and Boyd's Corner Farm, LLC, to construct gravity sewer, one (1) pump station with dual Gorman-Rupp pumps, valves, piping, controls and related facilities, and approximately 2,020 linear feet of 6" PVC force main, to serve the Boyd's Corner Farm residential, commercial and office development, and other future development. These facilities will be built in and around the southwest quadrant of the Boyd's Corner Road (U.S. Route 301, DE Route 896, County Road 15) and the DuPont Highway (U.S. Route 13, County Road 22) intersection, Boyd's Corner, St. Georges Hundred, New Castle County. A public hearing concerning the applications above will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **May 14**. For additional information contact Molly Mackil, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2726&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Kent County and Sylvan Valley Real Estate Investments, Inc., to construct an E-One grinder pump and 1,700 linear feet of 1.5" PVC force main and related facilities, to serve the Sedmont

Property at 3129 Brenford Road (County Road 42) and along Brenford Road, near the intersections of Ryan Road (County Road 146) and Hickory Ridge Road (County Road 149), Kent County Sewage Disposal District No. 1, Garrison Lake V Area, Duck Creek Hundred, Kent County. A public hearing concerning the applications above will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **May 14**. For additional information contact Molly Mackil, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2726&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Town of Laurel to construct 8", 10", 12" and 15" gravity sewer, one (1) pump station with dual submersible pumps, piping, valves, controls and related facilities, and 1,010 linear feet of 8" force main, to serve a total of 700 equivalent dwelling units, to be located in the area of the U.S. Route 13 (Sussex Highway, County Road 2) and Discount Land Road (County Road 468) intersection; along U. S Route 13 to Reese Drive and County Seat Highway (U.S Route 9, County Road 28); northeast along Discount Land Road from Daniels Street and Seaford Road (U.S Route 13A, County Road 13); and along the north side of Broad Creek near Poplar Street (County Road 28A), Town of Laurel, Sussex County. A public hearing concerning the applications above will NOT be held unless our agency Secretary determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **May 14**. For additional information contact Molly Mackil, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2726&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Agricultural Utilization Permit

The City of Rehoboth Beach has requested renewal of their existing agricultural utilization permit, State Permit Number AGU 1002-S-03. The current permit allows the land application of stabilized Class B biosolids, generated at the City of Rehoboth Beach Wastewater Treatment Facility onto an 85-acre portion of the James Well Farm, at agronomic rates. The biosolids and soils at the permitted farm undergo periodic analysis for a list of specific parameters including nutrient content and metals. The James Wells Farm is located on the south side of Slaughter Neck Road (Country Road 215), approximately 6 miles southeast of Milford. This notice expires **May 22**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2716&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Distribution and Marketing Permit

The Town of Ocean City Wastewater Department, Maryland (the Town of Ocean City) currently has a permit for the distribution and marketing of a Class A, lime stabilized and heat pasteurized biosolid product in the state. The production of Class A biosolids product at the Town of Ocean City involves a stabilization process that utilizes lime (CaO) to raise the pH of dewatered biosolids to a pH of at least 12 S.U., followed by heat pasteurization within a reaction vessel. The process renders a pasteurized, high alkaline biosolids product suitable for use as a soil amendment/liming agent for agricultural and horticultural uses. Town of Ocean City requests that the existing permit for the production of their biosolids product and the application program be renewed under the Department's Guidance and Regulations Governing the Land Treatment of Wastes, Part III, B., Regulations Governing the Land Treatment of Sludges and Sludge Products which allows for such activity pending public notice. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a

written meritorious objection to the application is received by **May 22**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2715&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Public comment has been extended for the Delaware City Refinery Company Llc., located on Wrangle Hill Road in Delaware City, to discharge cooling water, treated process wastewater, and storm water to Cedar Creek, the Delaware River, Dragon Run Creek and Red Lion Creek (current NPDES Permit DE 0000256 and State Permit No. WPCC 3256C/74); and for its Delaware City Power Plant, located on Rte. 9 in Delaware City, to discharge cooling water, treated wastewater, and storm water to the Delaware River (current NPDES Permit No. DE 0050601 and State Permit No. WPCC 3094D/76). Persons wishing to comment on the pending applications and draft permit may present written statements through the close of the public comment period. The public comment period has been extended until **May 26**. Written statements may also be submitted to: PublicComments.DNREC@state.de.us or Robert Haynes, Hearing Officer - Department of Natural Resources and Environmental Control, P.O. Box 1401, 89 Kings Highway, Dover, Delaware 19901. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2708&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WATER SUPPLY - The Division of Water hereby gives notice that the following well permit application has been received.

Allocation Permits

William & Ruth Tull have requested a modification to their existing irrigation allocation. One well has been added to their farming operations which are located southwest of Laurel in Sussex County. The requested maximum daily withdrawal of the modification is 2,304,000 gallons per day. A public hearing on the three applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 11**. For additional information contact Allison Diggins at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2722&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Glenville Hollow Farms, LP has requested a modification to its existing irrigation allocation. Ten wells have been added to its farming operations which are located northeast of Greenwood in Sussex County. The requested maximum daily withdrawal of the modification is 15,840,000 gallons per day. A public hearing on the three applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 11**. For additional information contact Allison Diggins at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2722&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Woodenhawk Farms, Inc. has requested a modification to its existing irrigation allocation. Three wells have been added to its farming operations which are located west of Greenwood in Sussex County. The requested maximum daily withdrawal of the modification is 5,184,000 gallons per day. A public hearing on the three applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 11**. For additional information contact Allison Diggins at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2722&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Roland & Joan Hitchens have requested a modification to their existing irrigation allocation. One well has been added to their farming operations which are located southwest of Georgetown in Sussex County. The requested maximum daily withdrawal of the modification is 4,608,000 gallons per day. A public hearing on the three applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 18**. For additional information contact Allison Diggins at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2728&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

J. Carlton Wells & Sons, Inc. has requested a modification to their existing irrigation allocation. Eighteen wells have been added to their farming operations which are located Milton, Sussex County. The requested maximum daily withdrawal of the modification is 36,504,000 gallons per day. A public hearing on the three applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **May 18**. For additional information contact Allison Diggins at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2728&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest, or if a written meritorious objection to the application is received by **May 12**. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2713&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Subaqueous Lands Permit Application

Massey's Landing Park, Inc -To repair and install 615 linear feet of bulkhead by stepping out 7 inches, adding 175 cubic yards of fill behind the bulkhead, filling 796 square feet and dredging 231 square feet of the lagoon. To reconfigure existing finger piers by repairing and installing (20) 2.5 by 11.8 foot long finger piers and 62 free standing pilings in an artificial lagoon adjacent to Massey's Ditch, Massey's Landing Park, Millsboro, Sussex County

Subaqueous Lands Permit & Wetlands Application

Town of Bethany Beach -To install a 4 by 20 foot long wetland walkway and a 4 by 16 foot long linear pier to access a tidal pond adjacent to the loop canal at 807 Garfield Parkway, Bethany Beach Nature Center, Bethany Beach, Sussex County

Subaqueous Lands Permit & Water Quality Application

Delaware Racing Association -To restore and stabilize eroded stream banks along a 1,000 foot reach of White Clay Creek using a combination of techniques including installation of toe stabilization using rip-rap and coir logs, erosion control matting, soil anchors, rock vanes, sand bags and riparian vegetation; and excavate sand bars to reshape the creek channel at Delaware Park, Wilmington, New Castle County

Sunoco Partners Marketing and Terminals -To install new steel pipe piles and pile encasements at the RW-7 Trestle and Dock 3C in the Delaware portion of the Delaware River, at the Sunoco Marcus Hook facility, 110 Green Street, Marcus Hook, PA

Subaqueous Lands Supplemental Application

Aileen Warfel-To install a boatlift with 2 pilings, a personal water craft lift on an existing piling, and replace 1 berthing piling in the Rehoboth Bay at 22595 Bay View Circle, Lewes, Sussex County

EMPLOYEE UPDATE

Effective **May 4**, Angela Marconi hired as an Engineer IV in the Permitting/Compliance Branch for the Division of Air Quality.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500

Air Quality - New Castle Office - 302-323-4542

Air Quality – Kent & Sussex – 302-739-9402

Asbestos New Castle - 302-323-4542

Asbestos Kent & Sussex - 302-739-9402

Biosolids Permits - 302-739-9946

Boiler Safety - 302-744-2735

Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)

Division of Air Quality Director's Office - 302-739-9402

Division of Waste and Hazardous Substances Director's Office - 302-739-9400

Division of Water Information - 302-739-9950

Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943

Emergency Prevention and Response - 302-739-9404

Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802

Environmental Laboratory - 302-739-9942

Hazardous Waste - 302-739-9403

Industrial Stormwater Permits - 302-739-9946

Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941

Medical Waste - 302-739-9403

Non-Hazardous Liquid Waste Transporters - 302-739-9948

On-site Wastewater Licensing Program - 302-739-9948

Open Burning - 302-739-9402

Outreach Ombudsman - 302-395-2600

Recycling - 302-739-9403

Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948

Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947

Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program 302-856-4561

Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600

Solid Waste - 302-739-9403

Source Water Protection - 302-739-9945

Surface Water Discharge Permits (NPDES) - 302-739-9946

Underground Injection Control & Spray Irrigation - 302-739-9948

Underground Storage Tanks - 302-395-2500

Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946

Wastewater Treatment Facility Operators - 302-739-9946

Water Allocation Permits - 302-739-9945

Water Testing - Drinking Water (Division of Public Health) - 302-741-8630

Water Supply - 302-739-9945

Well Driller's License - 302-739-9944

Well Permits & Licensing - 302-739-9944

Wells - 302-739-9944

Wetlands and Subaqueous Lands Section - 302-739-9943